

### CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

#### Listing of Claims:

Claims 1 - 19 (canceled).

Claim 20 (currently amended). A pump, comprising:

an integrated, electronically commutated wet-running motor (5, 21) having a rotor (5);

an integral pump chamber (4) containing said rotor (5) of said wet-running motor; and

a shaft (9) installed such that said shaft cannot rotate, and said rotor (5) being mounted on said shaft such that said rotor can rotate;

at least one radial sliding bearing (7,8), said rotor (5) being mounted on said shaft (9) by said at least one radial sliding bearing (7, 8); and

an O-ring holding said at least one radial sliding bearing (7, 8) in said rotor;

said O-ring preventing liquid from entering said at least one radial sliding bearing (7, 8).

Claim 21 (original). The pump according to claim 20, wherein:

said wet-running motor has a shield (3); and

said integral pump chamber (4) is formed from a front housing shell (2) and said shield (3) of said wet-running motor.

Claim 22 (original). The pump according to claim 21, wherein said shield (3) is pot shaped.

Claim 23 (canceled).

Claim 24 (currently amended). The pump according to ~~claim 20~~ claim 21, wherein said shaft (9) is mounted in said shield (3).

Claim 25 (currently amended). ~~The pump according to claim 20, further comprising~~ A pump, comprising:

an integrated, electronically commutated wet-running motor (5, 21) having a rotor (5);

an integral pump chamber (4) containing said rotor (5) of said wet-running motor;

a shaft (9) installed such that said shaft cannot rotate, and said rotor (5) being mounted on said shaft such that said rotor can rotate;

a shield (3); and

at least one O-ring (19) fixing said shaft in said shield.

Claim 26 (canceled).

Claim 27 (currently amended). The pump according to ~~claim 26~~ claim 20, further comprising ~~at least~~ an additional one O-ring (30, 31), said radial sliding bearing (7, 8) being held in said rotor (5) by said additional O-ring (30, 31).

Claim 28-29 (canceled).

Claim 30 (currently amended). A pump, comprising:

an integrated, electronically commutated wet-running motor (5, 21) having a rotor (5);

an integral pump chamber (4) containing said rotor (5) of said wet-running motor;

a shaft (9) installed such that said shaft cannot rotate, and said rotor (5) being mounted on said shaft such that said rotor can rotate; and

an axial bearing (12), said rotor (5) mounted on said shaft (9) by said axial bearing (12), and ~~The pump according to claim 28, wherein~~ said axial bearing (12) ~~has~~ having a liquid seal.

Claim 31 (currently amended). The pump according to ~~claim 29~~ claim 30, wherein said liquid seal has a rubber shock absorbing device (14).

Claim 32 (currently amended). The pump according to ~~claim 29~~ claim 30, wherein said liquid seal has an O-ring (13).

Claim 33 (currently amended). ~~The pump according to claim 20,~~ A pump, comprising:

an integrated, electronically commutated wet-running motor (5, 21) having a rotor (5);

an integral pump chamber (4) containing said rotor (5) of said wet-running motor; and

a shaft (9) installed such that said shaft cannot rotate, and said rotor (5) being mounted on said shaft such that said rotor can rotate;

wherein said rotor (5) has an internal space formed therein being divided into two subregions (32, 33) which run toward one another in a conically tapering manner.

Claim 34 (original). The pump according to claim 20, wherein said rotor (5) has an impeller (6).

Claim 35 (original). The pump according to claim 34, wherein said impeller (6) is integrally formed on said rotor (5).

Claim 36 (original). The pump according to claim 20, wherein said wet-running motor has a plastic encasement encasing said rotor (5).

Claim 37 (original). The pump according to claim 30, wherein said liquid seal has a rubber shock absorbing device (14).

Claim 38 (original). The pump according to claim 30, wherein said liquid seal has an O-ring (13).

Claim 39 (previously presented). The pump according to claim 20, wherein the pump (1) is suitable for domestic appliances containing water.

Claim 40 (previously presented). The pump according claim 20, in combination with a dishwasher, wherein the pump is configured to pump water in the dishwasher.

Claim 41 (previously presented). The pump according to claim 20, further comprising:

a circuit board including an electrical actuating circuit; and

a spring contact;

said wet-running motor including a stator electrically connected to said circuit board by said spring contact.